

H.A

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/809,086	HIKITA ET AL.	
	Examiner Carmelo Oliva	Art Unit 2831	

-- **The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the Amendment filed March 21, 2005.
2.  The allowed claim(s) is/are 1-12.
3.  The drawings filed on 19 April 2004 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All    b)  Some\*    c)  None    of the:
    1.  Certified copies of the priority documents have been received.
    2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

## **NOTICE OF ALLOWABILITY**

### ***Response to Arguments***

1. Applicant's arguments filed March 21, 2005, with respect to claims 1-12 have been fully considered and are persuasive. Specifically, the persuasive arguments were that the Clarke (US 5,139,850) conductive mesh 4 does not constitute an adhesive tape and Clarke also does not disclose using an insulation layer. The rejection of claims 1-12 has been withdrawn.

### ***Reasons for Allowance***

2. Claims 1-12 are allowed.
3. The following is an examiner's statement of reasons for allowance:

Claim 1 is allowable because the prior art alone or in combination does not teach or fairly suggest an electromagnetic wave shielding method, comprising laminating a cushioned conductive adhesive tape by using an insulation adhesive layer to a rim portion of said window face provided with said conductive shielding layer, taken in combination with the other claimed features.

Claims 2-12 are allowable because the prior art alone or in combination does not teach or fairly suggest an electromagnetic wave shielding window, wherein by using an insulation adhesive, a cushioned conductive tape is placed next to said insulation layer at said rim portion of said window face member provided with said conductive shielding layer, taken in combination with the other claimed features.

Art Unit: 2831

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

***Closing***

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carmelo Oliva whose telephone number is (571)272-1982. The examiner can normally be reached flexible hours on Monday through Friday with every other Wednesday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard, can be reached at (571)272-2800 ext. 31. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

*Dean A. Reichard 4/4/05*  
DEAN A. REICHARD  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2800